





Spare parts and mounting tools

tire protection chains






Spare Parts


No. 31/31 RS* Set Connecting-/repair ring consisting of: Ring, Locking piece, Heavy pin	Dimensions [mm]	12	14	14/16	16 RS	16	16/18	18	18/20	21	23
	part no.	31 d	31 e	31 f	31 rs	31 f	31 g	31 g	31 g	31 h	31 j
	Components	Single components available on request! 									
No. 37/39 Set Pin lock (replaces link) consisting of: Lock, Spiral pin	Dimensions [mm]	12	14	14/16	16 RS	16	16/18	18	18/20	21	23
	part no.	39 d	37 e	37 e	37 e	37 f	37 f	37 f	37 h	37 h	37 j
	Components	Single components available on request! 									


* RS = Ringstar

No. 48 Tension chain guiding system forged component, 2 x long pitch link	Dimensions [mm]	12	14	16+ 16 RS	18	21	23
	part no.	-	-	-	-	-	48 j



No. 24 End shackle	part no.	working load [kg]	for tension chain Ø [mm]
	24 d	400	8/10
	24 e	630	10/13
	24 f	1000	13/16
	24 g	1600	16

No. 26 Tension chain	part no.	Ø [mm]
	26 b	8
	26 d	10
	26 e	13
	26 f	16

No. 28 Locking plate	part no.	for tension chain Ø [mm]
	28 c	8
	28 d	10
	28 e	13
	28 f	16

Mounting tools

No. 51 Pin driver for connecting-/repair ring no. 31	Dimensions [mm]	12	14	14/16	16 RS	16	16/18	18	18/20	21	23
	part no.	51 c	51 e	51 f	52 c	51 f	51 f	51 f	51 f	51 h	51 h



No. 52 Pin driver for pin lock no. 37/39	Dimensions [mm]	12	14	14/16	16 RS	16	16/18	18	18/20	21	23
	part no.	52 c	52 e	52 e	52 e	52 f	52 f	52 f	52 f	52 f	52 f



No. 54 Mounting tool for connecting-/repair ring	Dimensions [mm]	12	14	14/16	16 RS	16	16/18	18	18/20	21	23
	part no.	-	54 e	-	-	-	54 g	54 g	54 g	54 h	-



No. 49 Lever hoist




No. 50 Assembly pliers



No. 53 Hydraulic tool set



No. 58 Drawing-out hook



No. 59 Mounting spike



pewag austria GmbH

A-8020 Graz, Bahnhofgürtel 59, Phone: +43 316 6070-0, Fax: +43 316 6070-259
saleinfo@pewag.com, www.pewag.com



F0/12/00042 9 100254619490351

